

# **HiPP Combiotic Anti-Reflux milk**

A nutritionally complete food for special medical purposes product for the dietary management of reflux and regurgitation in infants. Suitable from birth onwards.

# anti-reflux milk combicite from birth where compared with a record with

# **Nutritional information**

	Per 100g	per 100 ml	per 100kcal
Macronutrients	100g	100 1111	TOUKCAI
	2129	275	117
Energy kJ	509	275	417
kcal		66	100
Fat g	27.7 11.6	3.6	5.45
of which saturates g		1.5	2.27
of which mono-unsat g	12.3	1.6	2.42
of which polyunsat g of which	3.8	0.5	0.76
Linoleic acid (omega 6) g	3.10	0.40	0.61
lpha-linolenic acid (omega 3) g	0.47	0.06	0.09
Arachidonic acid mg	102	13.2	20
Docosahexaenoic acid mg	102	13.2	20
Carbohydrate g	53.8	6.9	10.45
of which sugars g	53.8	6.9	10.45
of which lactose g	53.2	6.9	10.45
inositol mg	32	4.2	6.36
Fibre g	3.1	0.4	0.61
Proteing	9.67	1.25	1.89
Of which L-carnitine mg	14	1.8	2.73
Whey:Casein	60:40	60:40	60:40
Salt g	0.39	0.05	0.08
Sodium mg	160	20	30.3
Vitamins			
Vitamin A μg	417	54	81.82
Vitamin D µg	12	1.5	2.27
Vitamin E mg	5.4	0.7	1.06
Vitamin K μg	40	5.1	7.73
Vitamin C mg	69	8.9	13.48
Thiamin (B1) mg	0.39	0.05	0.076
Riboflavin (B2) mg	1.1	0.14	0.21
Niacin mg	2.6	0.34	0.52
Vitamin B6 mg	0.22	0.029	0.044
Folic Acid µg	77.5	10	15.15
Vitamin B12 μg	1.1	0.1	0.15
		+	
Biotin µg	12	1.5	2.27

		As be una			
	Per	per	per		
	100g	100ml	100kcal		
Minerals					
Potassium mg	589	76	115		
Chloride mg	395	51	77.27		
Calcium mg	399	51	77.27		
Phosphorus mg	229	30	45.45		
Magnesium mg	35	4.5	6.82		
Iron mg	5.4	0.7	1.06		
Zincmg	4.6	0.6	0.91		
Coppermg	0.41	0.053	0.08		
Manganese mg	0.039	0.005	0.01		
Fluoride mg	< 0.040	< 0.005	<0.0076		
Selenium µg	30	3.8	5.76		
Chromium µg	< 5.0	< 0.60	<0.91		
Molybdenum μg	12	1.5	2.27		
Iodine μg	113	15	22.73		
Choline mg	194	25	37.88		
Amino acid	g/	g/100g protein			
composition					
L-lysine	7.8				
L-arginine	2.8				
L-cysteine	1.4				
L-isoleucine	5.1				
L-leucine	9.2				
L-methionine	2.0				
L-phenylalanine	4.8				
L-histidine	2.2				
L-threonine	5.3				
L-tryptophan	1.8				
L-tyrosine	4.2				
L-valine	5.5				
L-alanine	3.9				
L-aspartic acid	8.6				
L-glutamic acid	18				
Glycine		1.9			
L-proline		7.1			
L-serine		4.9			
Osmolarity	2	275mOsmol/l			

These nutritional values are subject to the normal variations that occur in products based on natural ingredients.

# **Ingredients**

Skimmed **milk**, **whey** product, vegetable oils (palm oil, rapeseed oil, sunflower oil), **lactose**, thickening agent locust bean gum, **fish** oil, potassium chloride, choline, Mortierella alpina-oil, calcium carbonate, sodium citrate, L-phenylalanine, sodium selenite, L-tyrosine, zinc sulphate, calcium salts of orthophosphoric acid, L-leucine, L-tryptophan, L-histidine, ferrous sulphate, potassium iodate, vitamin C, vitamin E, niacin, pantothenic acid, cupric sulphate, vitamin B1, vitamin A, magnesium carbonate, inositol, vitamin B6, folic acid, vitamin K, vitamin D, D-biotin, vitamin B12.

Allergens: see ingredients in **bold** 

#### **Indications**

HiPP Combiotic Anti-Reflux milk is a food for special medical purposes that should be used under medical supervision for the dietary management of reflux and regurgitation in infants. The addition of the natural thickener carob bean gum allows the formula to thicken in the bottle, helping the feed to stay down. It is a nutritionally complete formula that can be used from birth onwards as the sole source of nutrition for your baby, or as part of a varied weaning diet from around six months

#### Contra-indications

- Not suitable for intravenous use
- Not suitable for cows' milk protein or fish allergy
- Not suitable for lactose intolerance
- Not suitable for vegetarians.

### **Preparation**

The preparation instructions for HiPP anti-reflux milk are different to those for standard infant formulas; please follow the preparation instructions written on the packaging carefully. This milk formula requires mixing with boiled water that has been cooled to a lower temperature than that used to prepare standard infant formulas — this is essential to ensure the correct mixing and consistency of the final product. To achieve the correct temperature, boil 500 ml of freshly run water and leave in the kettle to cool for 45 minutes before pouring the required volume of water into a sterilised feeding bottle. After adding the required number of level scoops of powder, place the sterilised teat and cap on the bottle and roll between the palms for 5 seconds. Shake for 20 seconds, then leave to stand for 7 minutes to thicken. Before feeding to baby, shake again, then check that the milk is at feeding temperature (approx. 37°C). Feed immediately. HiPP anti-reflux milk should not be used with any other feed thickeners and as it is a thickened formula, use a singlehole, fast-flow teat on the bottle.

Scoop weight - approx. 4.3g

Standard dilution – 12.9g (3 scoops) + 90ml water (12.9% dilution)

## Pack format and product code

HiPP Combiotic Anti-reflux milk is available 800g packs.

Product code: HiPP Combiotic Anti-Reflux milk - GB2305-01F

# Storage

Packs should be stored in a cool, dry place; do not refrigerate, and use contents within three weeks of opening

**Important Notice:** Breastfeeding is best for babies. It is recommended that HiPP Anti-Reflux milk is only used on the advice of a doctor, midwife, health visitor, public health nurse, dietician or pharmacist. Do not use if baby is allergic to cow's milk or suspected as such.